

STAS product catalogue





index

STAS wall systems	5
STAS wall systems with lighting	15
STAS ceiling systems	21
STAS ceiling systems with lighting	21
STAS hooks and cords	27
STAS multirail accessories	27
STAS paperrail on rail	27



Eindhoven - The Netherlands

STAS... the art of hanging art!

Since 1995, STAS picture hanging systems, the brainchild of brothers and founders Rien and André Stas, has proven itself to be the world's most innovative manufacturer of high-quality picture hanging systems. That is why STAS products are used all over the world in both family homes and in businesses, educational institutions, government buildings and the most prestigious museums and galleries. STAS offers an extensive and unusually clever range of patented hanging systems that can be attached to the wall or ceiling and, in some cases, combined with lighting. By choosing STAS' revolutionary systems, you choose a hanging system that offers almost boundless possibilities.

STAS only uses the best materials and closely controls every step of the production process. Dozens of unique patents have been awarded to our products. The STAS smartspring was even awarded a gold medal at the Inventors' Convention in Geneva and the STAS cobra has won a 'Good Industrial Design Award'. The STAS minirail won the 'Best Product Design Award for Decorative Accessories'.

If you require a high-quality, functional and elegant picture hanging system, STAS offers you everything you need under one single roof.

- user-friendly solutions for all wall and ceiling types
- measuring service and expert advice, on site if required
- · quotations for your specific needs within 24 hours
- · all components are available directly from stock
- our own professional fitting team
- excellent after-sales service

This catalogue presents numerous solutions that have been specially developed by STAS to help you hang your pictures safely, flexibly and elegantly. More information is also available on our website www.stasgroup.com.

Yours sincerely, Rien & André Stas






STAS hanging systems for wall mounting

STAS wall systems

STAS minirail thinnest and most innovative picture hanging system in the world	7
STAS cliprail basic hanging system	8
STAS cliprail max hanging system for the perfectionist	9
STAS cliprail pro picture hanging system with increased capacity	10
STAS plaster rail almost invisible but very effective	11
STAS j-rail simple picture hanging system for making quick changes	12
STAS j-rail max picture hanging system for heavy paintings	13



"If you want an elegant, barely visible hanging system, STAS minirail is your best choice."

STAS minirail



STAS minirail system

RM10120	STAS minirail white 200 cm
RM10130	STAS minirail white 300 cm
RM30120	STAS minirail alu 200 cm
RM30130	STAS minirail alu 300 cm

STAS miniral matching installation accessories

RD10200	STAS minirail rail connector
RY10200	STAS minirail combi cap white (2 x end cap / 1 x corner cap)
RY30200	STAS minirail combi cap alu (2 x end cap / 1 x corner cap)
SR10000	STAS minirail clipscrew (metal, 3 per m ¹)
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall
0100000	


product description

The patented STAS minirail system is the thinnest and most innovative picture hanging system in the world. The rail, which is available in white or a natural aluminium colour, is only 16 mm wide and perfectly blends in with your interior. Fitting, using the specially developed STAS minirail clipscrew, couldn't be simpler.

application

If you want an elegant, barely visible hanging system STAS minirail system is your best choice. The minirail is an elegant rail that attaches to the wall.

mount assembly




features

material colour dimensions carrying loads aluminium rail white, aluminium 9 x 16 mm up to 25 kg per meter

guarantee 5 years





STAS cliprail


product description

The STAS cliprail system is a basic hanging system. The STAS cliprail is the most commonly used hanging rail. The rail, which is available in white or a natural aluminium colour, is easy to fit and blends in well with every interior.

application

If you want a robust hanging system, the STAS cliprail system is your best choice. The STAS cliprail is a rail that is attached to the wall using a special mounting clip.

mount assembly



features ma colo

material	aluminium rail
colour	white, aluminium
dimensions	8,2 x 25 mm
carrying loads	up to 20 kg per meter

guarantee

5 years




STAS cliprail system


RC10320	STAS cliprail white 200 cm
RC10330	STAS cliprail white 300 cm
RC30120	STAS cliprail alu 200 cm
RC30130	STAS cliprail alu 300 cm

STAS cliprail matching installation accessories

RD10300	STAS cliprail end cap white
RD30300	STAS cliprail end cap alu
RD10400	STAS cliprail corner cap white
RD30400	STAS cliprail corner cap alu
RD40100	STAS rail clip (metal, 3 per m ¹)
RD40200	STAS rail connector
SR30100	STAS screw
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall



plug for hard wall



plug for soft wall

screw

STAS cliprail max



STAS cliprail max system

RC10220	STAS cliprail max white 200 cm
RC10230	STAS cliprail max white 300 cm
RC30220	STAS cliprail max alu 200 cm
RC30230	STAS cliprail max alu 300 cm

STAS cliprail max matching installation accessories

RY10100	STAS cliprail max combicap white (2 x end cap / 1 x corner cap)
RY30100	STAS cliprail max combicap alu (2 x end cap / 1 x corner cap)
RD40100	STAS rail clip (metal, 3 per m ¹)
RD40200	STAS rail connector
SR30100	STAS screw
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall




product description

The STAS cliprail max system is a hanging system for the perfectionist. The STAS cliprail max features a top rim that connects with the ceiling. With this system, ceiling, wall and hanging system smoothly unite.

application

The STAS cliprail max butts up to the ceiling to create a neat joint. The rail, which is available in white or a natural aluminium colour, is easy to fit using the STAS cliprail clip and is most attractive when used with flat ceilings.

mount assembly



features

material colour dimensions carrying loads aluminium rail white, aluminium 8,2 x 32 mm up to 25 kg per meter

guarantee 5 years

STAS cliprail pro


product description

The STAS cliprail pro system is a hanging system that features a heavy-duty rail for loads of up to 45 kg per linear meter. Even so, the rail design is compact and looks very attractive in living rooms as well as in professional environments.

application

The thick-walled and massively strong rail makes the STAS cliprail pro system an ideal solution when heavier works of art need to be hung.

mount assembly



features mate colou

material	aluminium rail
colour	white, aluminium
dimensions	11 x 28 mm
carrying loads	up to 45 kg per meter

guarantee

5 years




STAS cliprail pro system

VC10200	STAS cliprail pro white 200 cm
VC10300	STAS cliprail pro white 300 cm
VC30200	STAS cliprail pro alu 200 cm
VC30300	STAS cliprail pro alu 300 cm

STAS cliprail pro matching installation accessories

VE10200	STAS cliprail pro end cap white
VE30200	STAS cliprail pro end cap alu
VD10400	STAS cliprail pro corner cap white
VD30400	STAS cliprail pro corner cap alu
RD40100	STAS rail clip (metal, 3 per m ¹)
RD40200	STAS rail connector (metal)
SR30100	STAS screw
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall



plug for hard wall

M applicable hooks and cords see page 28

plug for soft wall

screw

STAS plaster rail



STAS plaster rail

RS30250	STAS plaster rail 250 cm
RS30251	STAS plaster rail connector


STAS plaster rail hook

RS30270 STAS plaster rail S-hook chroom (for cords with loop)

product description

Almost invisible but very effective. This subtle picture hanging rail can be completely incorporated in a plastered wall. STAS plaster rail is ideal for new buildings.

mount assembly




features

material thickness length carrying loads galvanised steel 12 mm 250 cm up to 20 kg per meter

guarantee

5 years



STAS j-rail


product description

This simple and strong hanging system, which was inspired by the shape of the letter J, can be used in many different ways. When used in combination with the hanging rods, the STAS j-rail is ideal for applications where pictures need to be alternated on high walls. An invisible perlon cord is also a possible option in combination with the cylinder hook.

application

Due to its simplicity and numerous hanging options, the STAS j-rail is often used in applications where functionality is the main priority.

mount assembly



features

material colour dimensions carrying loads aluminium rail white, aluminium 7 x 20 mm up to 25 kg per meter


zippei

guarantee

5 years



STAS j-rail sys	tem
RJ10120	STAS j-rail white 200 cm (4 holes per m ¹)
RJ10130	STAS j-rail white 300 cm (4 holes per m ¹)
RJ30120	STAS j-rail alu 200 cm (4 holes per m ¹)
RJ30130	STAS j-rail alu 300 cm (4 holes per m1)
STAS j-rail ma	tching installation and hanging accessories
SJ10100	STAS j-rail screw flush head white
SJ30100	STAS j-rail screw flush head alu
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall
HA30900	STAS smartspring
HA30501	STAS zipper
HA30600	STAS security hook 10 kg (theft delaying)
PH10110	STAS j-rail perlon cord with disk 100 cm
PH10115	STAS j-rail perlon cord with disk 150 cm
PH10120	STAS j-rail perlon cord with disk 200 cm
PH10125	STAS j-rail perlon cord with disk 250 cm
PH10130	STAS j-rail perlon cord with disk 300 cm
HR10600	STAS j-rail cylinder hook white
HR30600	STAS j-rail cylinder hook alu
S010110	STAS j-rail rod 3 mm white 100 cm
S010115	STAS j-rail rod 3 mm white 150 cm
S010120	STAS j-rail rod 3 mm white 200 cm
S010130	STAS j-rail rod 3 mm white 300 cm
S030110 S030115	STAS j-rail rod 3 mm alu 100 cm STAS j-rail rod 3 mm alu 150 cm
S030115 S030120	STAS j-rail rod 3 mm alu 200 cm
S030120	STAS j-rail rod 3 mm alu 300 cm
HA30700	STAS j-rail spring hook 15 kg for rod 3 mm
	STAS j-tall spillig floor 15 kg for four 5 fillin



perlon cord with disk

rod 3 mm with spring hook

S-hook

and cylinder hook

M applicable cords wtih loop see page 28

security hook

stas j-rail max



STAS j-rail max system


RJ10220	STAS j-rail max white 200 cm (4 holes per m ¹)
RJ10230	STAS j-rail max white 300 cm (4 holes per m^1)
RJ30220	STAS j-rail max alu 200 cm (4 holes per m ¹)
RJ30230	STAS j-rail max alu 300 cm (4 holes per m ¹)

STAS j-rail max matching installation and hanging accessories

	C matering motanation and nanging accessor
SJ10200	STAS j-rail max screw sunk head white
SJ30200	STAS j-rail max screw sunk head alu
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall
SM10110	STAS j-rail max steel rod 4x4 white 100 cm
SM10115	STAS j-rail max steel rod 4x4 white 150 cm
SM10120	STAS j-rail max steel rod 4x4 white 200 cm
SM10125	STAS j-rail max steel rod 4x4 white 250 cm
SM30110	STAS j-rail max steel rod 4x4 alu 100 cm
SM30115	STAS j-rail max steel rod 4x4 alu 150 cm
SM30120	STAS j-rail max steel rod 4x4 alu 200 cm
SM30125	STAS j-rail max steel rod 4x4 alu 250 cm
SM10210	STAS j-rail max steel rod 4x10 white 100 cm
SM10215	STAS j-rail max steel rod 4x10 white 150 cm
SM10220	STAS j-rail max steel rod 4x10 white 200 cm
SM10225	STAS j-rail max steel rod 4x10 white 250 cm
HA40600	STAS j-rail max hook 40 kg for 4x4 rod
HA40500	STAS j-rail max hook 100 kg for 4x10 rod

STAS j-rail max security

BK10100 SM10310 SM10315 SM10320 SM10325	STAS j-rail max security cap white STAS j-rail max security steel rod 4x4 white 100 cm STAS j-rail max security steel rod 4x4 white 150 cm STAS j-rail max security steel rod 4x4 white 200 cm STAS j-rail max security steel rod 4x4 white 250 cm
HA40700	STAS j-rail max security hook 40 kg



product description

The STAS j-rail max has been designed for heavy paintings. Simple and massively strong. This explains why this system is extensively used in galleries and museums all over the world.

application

The STAS j-rail max system is used mainly for professional applications. The highly effective, thick-walled aluminium profile is capable of supporting loads of up to no less than 100 kg per linear meter.

mount assembly




features

material colour dimensions carrying loads option aluminium rail white, aluminium 9 x 20 mm up to 100kg per meter available with theft delaying security

guarantee

5 years



Wall-mountable STAS picture hanging systems with integrated lighting

STAS wall systems with lighting

STAS multirail patented hanging system for paintings combined with a 12V lighting rail	16
STAS multirail crown hanging system with 12V lighting rail, perfect in combination with a decorative frame	17
STAS multirail max ceiling fitting picture hanging system with an integrated 12V lighting rail	19

STAS multirail


product description

The STAS multirail system is a worldwide patented painting suspension system equipped with 12V lighting rail. This revolutionary system gives you a suspension system with an unprecedented number of possibilities. You can hang paintings, postcards and posters in the blink of an eye. Easily moveable light fittings can be clicked anywhere you like on to the rail, for example to spotlight your wall decorations with LED or halogen lamps. But the STAS multirail goes further. Using the STAS powerline, digital panels and 12V LED televisions are also easy to connect to the STAS multirail.

application

If you want a safe, multifunctional hanging system with integral 12V lighting, the STAS multirail system is your best choice. The mulitrail attaches to the wall.

mount assembly



features material

colour dimensions carrying loads option aluminium rail, 12V system (lowvoltage supply) white, aluminium 11 x 28 mm up to 45 kg per meter powered by an 18W, 60W or 96W adapter

guarantee 5 years






STAS multirail system

VH10200	STAS multirail white 200 cm
VH10300	STAS multirail white 300 cm
VH30200	STAS multirail alu 200 cm
VH30300	STAS multirail alu 300 cm

STAS multirail matching installation accessories

	0
VE10200	STAS multirail end cap white
VE30200	STAS multirail end cap alu
VD10400	STAS multirail corner cap white
VD30400	STAS multirail corner cap alu
VF50200	STAS multirail conductor 12V straight
VF50100	STAS multirail conductor 12V corner
RD40200	STAS rail connector (metal)
RD40100	STAS rail clip (metal, 3 per m ¹)
SR30100	STAS screw
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for soft wall



M applicable hooks and cords see page 28

M applicable multirail accessories see page 29

STAS multirail crown




STAS multirail crown system


RC10420	STAS multirail crown white 200 cm (4 holes per m ¹)
RC10430	STAS multirail crown white 300 cm (4 holes per m ¹)

STAS multirail crown matching installation accessories

RD20500	STAS multirail crown corner connector white
RD20400	STAS multirail crown rail connector
VF50200	STAS multirail conductor 12V straight
VF50100	STAS multirail conductor 12V corner
SJ10200	STAS multirail crown screw
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall












product description

The STAS multirail crown system is a unique and patented painting suspension system for direct screw fastening to the wall and is equipped with a 12V lighting rail. The STAS multirail crown is an exceptionally sturdy and solid profile. The rail can be almost completely hidden using an ornamental frame or a STAS moulding. Easily moveable light fittings can be clicked anywhere you like on to the rail, for example to spotlight your wall decorations with LED or halogen lamps.

application

The STAS multirail crown system is suitable for newly built and existing properties and very appealing in classical buildings. The rail can be perfectly plastered in by integrating the rail into a plaster ornamental frame as desired or one of the STAS mouldings.

mount assembly



features material

colour dimensions carrying loads option aluminium rail, 12V system (lowvoltage supply) white 38 x 11 mm up to 45 kg per meter • powered by an 18W, 60W or 96W adapter

perfectly to combine
 with STAS mouldings


guarantee 5 years



Dlug for soft wall

plug for soft wall

applicable hooks and cords see page 28
 applicable multirail accessories see page 29



"Hanging and lighting in one system!"

STAS multirail max




STAS multirail max system

VC10420	STAS multirail max white 200 cm
VC10430	STAS multirail max white 300 cm
VC30420	STAS multirail max alu 200 cm
VC30430	STAS multirail max alu 300 cm

STAS multirail max matching installation accessories

VE10400	STAS multirail max end cap white
VE30400	STAS multirail max end cap alu
VD20500	STAS multirail max corner cap white
VD30500	STAS multirail max corner cap alu
VF50200	STAS multirail conductor 12V straight
VF50100	STAS multirail conductor 12V corner
RD40100	STAS rail clip (metal, 3 per m ¹)
RD40200	STAS rail connector (metal)
SR30100	STAS screw
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall



product description


The STAS multirail max is a worldwide patented hanging system equipped with a 12V lighting rail. This sturdy system has been designed for perfectionists. The STAS multirail max has an extended face which gives the user the ability to install the system tight to the ceiling. Ceiling, wall and multifunctional hanging system become one.

Easily moveable light fittings can be clicked anywhere you like on to the rail, for example to spotlight your wall decorations with LED or halogen lamps. Using the STAS powerline, digital photo frames and 12V LED televisions are also easy to connect to the system.

application

The STAS multirail max is fastened to the wall and ensures a tight fitting to the ceiling. The cabling can easily be concealed behind the flange. For best results after installing the rail, run over the join between the STAS multirail max and the ceiling with, for example, an (acrylate) sealant.

mount assembly



features material

colour dimensions carrying loads option

aluminium rail, 12V system (lowvoltage supply) white, aluminium 38 x 11 mm up to 45 kg per meter powered by an 18W, 60W or 96W adapter

guarantee 5 years

Image: A start of the start



STAS picture hanging systems for mounting to the ceiling

STAS ceiling systems

STAS u-rail

turn the suspended ceiling into a flexible hanging system

STAS ceiling systems with lighting

STAS u-rail multi hanging and 12V lighting at the suspended ceiling	23
STAS multirail flat hanging system with 12V lighting, perfect in combination with a decorative frame	25

22

STAS u-rail


product description

The STAS u-rail has been purposedesigned to turn the suspended ceiling into a flexible hanging system in a matter of minutes. The rail is available in the same colour as the wooden tile support strip and attaches almost completely invisibly to the ceiling tile support strips.

application

In rooms where a suspended ceiling has been installed, the STAS u-rail is not only the perfect hanging solution for works of art, it can also be used to hang notice boards and whiteboards.

mount assembly



features

material	aluminium rail
colour	white, black and
	aluminium to suit
	the ceiling supports
dimensions	6,5 x 14 mm
carrying loads	up to 20 kg per meter

guarantee

5 years




STAS u-rail system

RP10120	STAS u-rail white 200 cm (8 holes per m ¹)
RP10130	STAS u-rail white 300 cm (8 holes per m^1)
RP20120	STAS u-rail black 200 cm (8 holes per m ¹)
RP20130	STAS u-rail black 300 cm (8 holes per m^1)
RP30120	STAS u-rail alu 200 cm (8 holes per m1)
RP30130	STAS u-rail alu 300 cm (8 holes per m1)

STAS *u*-rail matching installation accessories

SP10100	STAS u-rail screw white
SP20100	STAS u-rail screw black
SP30100	STAS u-rail screw alu



STAS u-rail multi



STAS u-rail multi system

VP10200	STAS u-rail multi white 200 cm (8 holes per m ¹)
VP10300	STAS u-rail multi white 300 cm (8 holes per m^1)
VP20200	STAS u-rail multi black 200 cm (8 holes per m ¹)
VP20300	STAS u-rail multi black 300 cm (8 holes per m ¹)
VP30200	STAS u-rail multi alu 200 cm (8 holes per m1)
VP30300	STAS u-rail multi alu 300 cm (8 holes per m1)

STAS u-rail multi matching installation accessories

VF50200	STAS u-rail multi conductor 12V straight
VF50100	STAS u-rail multi conductor 12V corner
SP10100	STAS u-rail multi screw white
SP20100	STAS u-rail multi screw black
SP30100	STAS u-rail multi screw alu


product description

The STAS u-rail multi combines picture hanging and lighting in one system. The rail has been purposedesigned for suspended ceilings but can be mounted on any wooden surface. The elegant armatures can easily be clicked into the rail in the position where you want it.

application

In rooms with a suspended- or a wooden ceiling, the STAS u-rail multi is not only the perfect hanging system, it will also enlighten your works of art in the most subtle and elegant way.


mount assembly




features material colour dimensions carrying loads option

aluminium rail, 12V system (lowvoltage supply) white, black and aluminium to suit the ceiling supports 17 x 14 mm up to 30 kg per meter powered by an 18W, 60W or 96W adapter

guarantee 5 years



applicable hooks and cords see page 28
 applicable multirail accessories see page 29



STAS hanging systems with an integrated lighting rail for mounting to the ceiling

STAS multirail flat




STAS multirail flat system


RC10520	STAS multirail flat white 200 cm (4 holes per m ¹)
RC10530	STAS multirail flat white 300 cm (4 holes per m ¹)

STAS multirail flat matching installation accessories

RD20500	STAS multirail flat corner connector white
RD20400	STAS multirail flat rail connector
VF50200	STAS multirail conductor 12V straight
VF50100	STAS multirail conductor 12V corner
SJ10200	STAS multirail flat screw
SR50200	STAS plug 6 mm for soft ceiling
SR50300	STAS plug 6 mm for hard ceiling







plug for hard ceiling






product description

The STAS multirail flat is a unique and patented painting suspension system for ceiling fastening, equipped with a 12V lighting rail. The STAS multirail flat is an exceptionally sturdy and solid profile which can be almost invisibly concealed in plasterwork, flat decorative framework or a STAS moulding. Easily moveable light fittings can be clicked anywhere you like on to the rail, for example to spotlight your wall decorations with LED or halogen lamps. Using the STAS powerline, digital panels and 12V LED televisions are also easy to connect to the STAS multirail.

application

The STAS multirail flat system is suitable for newly built and existing properties. STAS multirail flat is fastened to the ceiling. The STAS multirail flat can be perfectly plastered into a decorative framework. Bonding on to a plaster, wooden or foam decorative frame or wooden ceiling is also possible.

mount assembly



features material alu 12 vol colour wh dimensions 31 carrying loads up option •p

aluminium rail, 12V system (low-

voltage supply)

white

- 31 x 18 mm
- up to 45 kg per meter
- powered by an
 18W, 60W or 96W
- adapter
- perfectly to combine
- with STAS mouldings


guarantee 5 years

screw

 screw
 plug for soft ceiling
 plug for

 Image: Screw
 plug for soft ceiling
 plug for

 Image: Screw
 plug for soft ceiling
 plug for





safe, elegant and flexible hanging to the systems of STAS

STAS matching accessories

STAS hooks and cords flexibel hanging to the STAS systems	28
STAS multirail accessoires accessories for all systems with integrated 12V lighting	29
STAS paperrail on rail paperwork can be hung endlessly on the hanging system	30
STAS paperrail hanging due to the gravity of the marbles in the rail	30

STAS hooks and cords

product description

Hang your wall decorations safely, elegantly and flexibly using the STAS hanging systems. With STAS picture hooks you can hang your paintings, photo frames and other wall decorations perfectly. The zipper and smartspring are so simple to adjust that you can hang your decorations at the right height in an instant. Thanks to the patented cobra there is no longer any need to slide the perlon cord, steel cable or rod onto the rail; it can simply be hooked on wherever you choose.


application

The perion cord is almost invisible and in combination with the smartspring it can bear a load of up to 4 kg and with the zipper up to 15 kg per cord.

The steel cable, also available in white or black, is suitable for hanging heavier wall decorations; with the zipper it can hang up to 20 kg per cable.

The STAS rod supplied with the cobra can be combined with the spring hook to bear a weight of up to 15 kg.

mount assembly



guarantee

5 years






STAS hooks HA30900

STAS smartspring HA30501 STAS zipper HA30700 STAS spring hook

STAS cords

CP10110	STAS cobra + perlon cord 100 cm
CP10115	STAS cobra + perlon cord 150 cm
CP10120	STAS cobra + perlon cord 200 cm
CP10125	STAS cobra + perlon cord 250 cm
CP10130	STAS cobra + perlon cord 300 cm
SC10110	STAS cobra + steel cable 100 cm
SC10115	STAS cobra + steel cable 150 cm
SC10120	STAS cobra + steel cable 200 cm
SC10125	STAS cobra + steel cable 250 cm
SC10130	STAS cobra + steel cable 300 cm
SC10220	STAS cobra + steel cable white 200 cm
SC20220	STAS cobra + steel cable black 200 cm
ST10100	STAS rod 3 mm with cobra 100 cm white
ST10150	STAS rod 3 mm with cobra 150 cm white
ST10200	STAS rod 3 mm with cobra 200 cm white
ST30100	STAS rod 3 mm with cobra 100 cm alu
ST30150	STAS rod 3 mm with cobra 150 cm alu
ST30200	STAS rod 3 mm with cobra 200 cm alu
PL10110	STAS perlon cord with loop 100 cm
PL10115	STAS perlon cord with loop 150 cm
PL10120	STAS perlon cord with loop 200 cm
PL10125	STAS perlon cord with loop 250 cm
PL10130	STAS perlon cord with loop 300 cm
SL10110	STAS steel cable with loop 100 cm
SL10115	STAS steel cable with loop 150 cm
SL10120	STAS steel cable with loop 200 cm
SL10125	STAS steel cable with loop 250 cm
SL10130	STAS steel cable with loop 300 cm







perlon cord with cobra

G



rod 3 mm with spring hook





STAS multirail accessories



STAS multirail armatures

VA10500 STAS multirail armature <i>classic</i> white 50 cm	
VA10700 STAS multirail armature <i>classic</i> white 70 cm	
VA30500 STAS multirail armature <i>classic</i> chrome 50 c	m
VA30700 STAS multirail armatuur <i>classic</i> chrome 70 c	m
VA30365 STAS multirail armature <i>sirius</i> chrome 40 cm	1
VA30465 STAS multirail armature <i>sirius</i> chrome 50 cm	1
VA30770 STAS multirail armature <i>signo</i> chrome 70 cm	1

STAS multirail lamps

VL10400	STAS multirail powerled 1.5W frosted
VL10500	STAS multirail multiled 1.5W
VL10600	STAS multirail halogen 20W Philips clear
VL10304	STAS multirail halogen 20W Kandolite clear
VL10305	STAS multirail halogen 20W Kandolite frosted


STAS multirail adapters

VT20500	STAS multirail adapter 18W
VT20400	STAS multirail adapter 60W
VT20300	STAS multirail adapter 96W


STAS multirail accesories

SWE30150	STAS powerline incl. powerhook 12V 150 cm
SWE10000	STAS digitale media player 12V (excl. frame)









various lamps



product description

The STAS multirail accessories are applicable to the STAS multirail, multirail max, multirail crown, multirail flat and the u-rail multi system.

product description STAS armatures

The STAS armatures are available in three different designs. The 'sirius' light fitting has lengths of 40 and 50 cm. The 'signo' light fitting is curved and has a length of 70 cm. The STAS 'classic' lighting fixture is available in chrome as well as in white and in lengths of 50 and 70 cm. You can easily click all STAS light fittings anywhere you like on the rail, to spotlight your wall decorations with STAS LED or halogen lamps.

product description STAS powerline

De STAS powerline 12V is a unique and attractive suspension system for the multirail that is equipped with two integrated 12V cables. The combination of the STAS powerline and the powerhook gives you endless possibilities. This is ideal for the suspension of 12V digital panels, the STAS partout, or a 12V LED television.

product description STAS partout

This digital media panel is suitable to play photos, movies, music, and presentations. The STAS partout is easy to fit with the powerline and powerhook into the STAS multirail.

guarantee

1 year

various adapters





STAS partout



STAS paperrail on rail


product description

Papers, drawings, memos and photos easily stay in the rail due to the gravity of the marbles in the rail. The range of applications is endless, where people use paper, the paperrail can be used. In offices, working environments, in the catering business or at home.


application

With STAS cords and rods, available in several lengths, you can easily hang the STAS paperrail on rail in to all the STAS systems. The STAS paperrail on rail is also available in a model for wall mounting, named STAS paperrail.

mount assembly to hanging systems



mount assembly to the wall




features

aluminium rail material colour white, aluminium dimensions 50, 100 or 200 x 21 mm

guarantee

5 years



STAS paperrail on rail (for hanging systems)


KN10050	STAS paper rail on rail white 50 cm
KN30050	STAS paper rail on rail alu 50 cm
KN10100	STAS paper rail on rail white 100 cm
KN30101	STAS paper rail on rail alu 100 cm
KN10200	STAS paper rail on rail white 200 cm
KN30200	STAS paper rail on rail alu 200 cm

STAS paperrail (for wall mounting)

KN10005	STAS paper rail white 50 cm
KN10010	STAS paper rail white 100 cm
KN10020	STAS paper rail white 200 cm
KN30005	STAS paper rail alu 50 cm
KN30010	STAS paper rail alu 100 cm
KN30020	STAS paper rail alu 200 cm


STAS paperrail matching installation accessories

KN30100	STAS paper rail connector set
SR30100	STAS screw
SR50200	STAS plug 6 mm for soft wall
SR50300	STAS plug 6 mm for hard wall



or applicable cords and rods see page 28

STAS... the art of hanging art!



Disclaimer This catalogue has been put together with great care. Nevertheless, the catalogue may still contain type-setting and/or printing errors. Obviously, STAS accepts no liability for errors of this nature. In conjunction with its policy of continual product improvement, STAS reserves the right to implement changes to the range, models, colours, prices, etc. as and when circumstances make this necessary. Correct installation of STAS hanging systems is of essential importance. The installer must assess the strength of the walls or ceilings in the locations where the hanging systems are to be fitted, and the expected loads, and take account of and observe all relevant local regulations and legislation. If necessary, the installer must use fasteners that are more suitable for the task. The installer always has final responsibility for correct fitting, assessment of the walls or ceilings and the choice of fasteners. Maximum weights are indicated in the catalogue. STAS refuses all liability for improper use or when the products are subjected to a higher load than that advised. STAS also refuses liability for direct, indirect or consequential damage arising from attachment to structures of insufficient strength, combination with systems other than STAS hanging systems or unauthorised combinations of STAS hanging systems.



Eindhoven - The Netherlands